

SAFETY DATA SHEET



Trust Hygiene Services Limited

03520 – OVEN CLEANER

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT CODE:	03520		
PRODUCT NAME:	OVEN CLEANER		5 Ltrs
MANUFACTURER:	Trust Hygiene Services Limited Sutherland Avenue Wolverhampton West Midlands WV2 2JH	Telephone: Fax: Email:	0370 3500 988 01902 872289 sales@trusthygiene.co.uk

2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME CAS No.:	EINECS Nr.:	CLASSIFICATION	CONTENT
AMPHOTERIC SURFACTANT		Xi;R38, R41	1-5 %
ANIONIC SURFACTANT 13150-00-0		Xi;R36/38	1-5 %
SODIUM HYDROXIDE 1310-73-2	215-185-5	C;R35	10-30 %

The full text for all R-Phrases are displayed in Section 16

3. HAZARDS IDENTIFICATION

R35 Causes severe burns

4. FIRST AID MEASURES

GENERAL: Chemical burns must be dealt with immediately, do not delay. CAUTION! First Aid personnel must be aware of own risk of burns.

INHALATION: Move victim immediately from source of exposure. Provide rest, warmth and fresh. Get medical attention if any discomfort continues.

INGESTION: DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately!

SKIN: Immediately remove contaminated clothing. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove contact lenses from the eyes before rinsing. Continue to rinse for at least 15 minutes and get medical attention.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: This product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials

SPECIAL FIRE FIGHTING PROCEDURES: Use special protective clothing. Regular protection may not be safe.

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS: Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Inform Authorities if large amounts are involved.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS: Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS: Store separated from: Acids.

USEAGE DESCRIPTION: Controlled substance storage.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME:
SODIUM HYDROXIDE

CAS No.:

STD
WEL

LT EXP 8 Hrs

ST EXP 15 Min

PROTECTIVE EQUIPMENT:



9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, Liquid
COLOUR: Orange
ODOUR: Odourless
DENSITY/SPECIFIC GRAVITY(g/ml) 1.118 – 1.128
pH-VALUE, CONC. SOLUTION: > 13.0
SOLUBILITY: Soluble in water

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal temperature conditions.
CONDITIONS TO AVOID: Avoid contact with acids.
MATERIAL TO AVOID: Strong acids. Reacts strongly with light materials such as aluminum and zinc, producing hydrogen which is Highly Flammable.

11. TOXICOLOGY INFORMATION

INHALATION: May cause damage to mucous membranes in nose, throat and bronchial system.
INGESTION: Causes severe burns. Harmful if swallowed.
SKIN CONTACT: Causes severe burns.
EYE CONTACT: Causes severe burns. Risk of serious damage to eyes.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: Not classed as Hazardous to the Environment but release to the environment should be avoided.

13. DISPOSAL CONSIDERATIONS

DISPOSABLE METHODS: Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

LABEL FOR CONVEYANCE:



UN No. ROAD: 1824
UK ROAD TRANSPORT CLASS: 8
UK ROAD PACK GR.: II
ADR CLASS No: 8
PROPER SHIPPING NAME I: SODIUM HYDROXIDE SOLUTION
UN No SEA: 1824
IMDG CLASS: 8

15. REGULATORY INFORMATION

LABEL FOR SUPPLY:



RISK PHRASES:

SAFETY PHRASES:

R35 Causes severe burns.
S1/2 Keep locked up and out of the reach of children
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S27 Take off immediately all contaminated clothing.
S36/37/39 Wear suitable protective clothing, gloves and eye / face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible)

STATUTORY INSTRUMENTS:

APPROVED CODE OF PRACTICE:

GUIDANCE NOTES:

Chemicals (Hazard Information and Packaging) Regulations.
Classification and Labelling of Substances and Preparations Dangerous for Supply.
Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

DETERGENT LABELLING:

< 5% Amphoteric surfactants
< 5% Anionic surfactants

16. OTHER INFORMATION

USER NOTES:

R-PHRASES (Full Text):

DATE CREATED:

The following risk phrases relate to the raw materials in the product and not the product itself:

R35 Causes severe burns.
R36/38 Irritating to eyes and skin.
R41 Risk of serious damage to eyes.
January 2009