

# SAFETY DATA SHEET



## 04110 – METALLISED FLOOR POLISH

Trust Hygiene Services Limited

### 1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT CODE: 04110

PRODUCT NAME: METALLISED FLOOR POLISH – SUPER HIGH SOLIDS 5 Ltr

MANUFACTURER: Trust Hygiene Services Limited  
Sutherland Avenue  
Wolverhampton  
West Midlands  
WV2 2JH

Telephone: 0370 3500 988  
Fax: 01902 872289  
Email: sales@trusthygiene.co.uk

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME	EINECS Nr.:	CLASSIFICATION	CONTENT
DIETHYLENE GLYCOL MONOETHYL ETHER		Xi;R36	5-10%
T.B.E.P.	201-122-9	R52/53	1-5%

The full text for all R-Phrases are displayed in Section 16

### 3. HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

### 4. FIRST AID MEASURES

**GENERAL:** No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

**INHALATION:** Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

**INGESTION:** Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**SKIN:** Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

**EYES:** Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials

### 6. ACCIDENTAL RELEASE MEASURES

**SPILL CLEAN UP METHODS:** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

### 7. HANDLING AND STORAGE

**USAGE PRECAUTIONS:** Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS:** Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**PROTECTIVE EQUIPMENT:**



## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Opaque, Emulsion  
**COLOUR:** White  
**ODOUR:** Characteristic  
**BOILING POINT (°C):** > 100  
**DENSITY/SPECIFIC GRAVITY(g/ml)** 1.029 – 1.039  
**pH-VALUE, CONC. SOLUTION:** 8.3  
**SOLUBILITY:** Miscible in water

## **10. STABILITY AND REACTIVITY**

**STABILITY:** Stable under normal temperature conditions. Avoid; Freezing, mixing with any other material.  
**HAZ. COMPOSITION PRODUCTS:** Toxic gases / vapours / fumes of:, Carbon monoxide (CO), Carbon dioxide (CO2).

## **11. TOXICOLOGY INFORMATION**

**INGESTION:** Gastrointestinal symptoms, including upset stomach. Severe abdominal pain. Diarrhoea.  
**SKIN CONTACT:** Liquid may irritate skin.  
**EYE CONTACT:** Irritation.

## **12. ECOLOGICAL INFORMATION**

**ECOTOXICITY:** Not classified as hazardous to the environmental hazard but release to the environment should be avoided.

## **13. DISPOSAL CONSIDERATIONS**

**DISPOSABLE METHODS:** Dispose of waste and residues in accordance with local authority requirements.

## **14. TRANSPORT INFORMATION**

**RAIL TRANSPORT NOTES:** Not Classified  
**SEA TRANSPORT NOTES:** Not Classified  
**AIR TRANSPORT NOTES:** Not Classified

## **15. REGULATORY INFORMATION**

**RISK PHRASES:** NC Not classified  
**SAFETY PHRASES:** S2 Keep out of the reach of children  
**STATUTORY INSTRUMENTS:** Chemicals (Hazard Information and Packaging) Regulations.  
**APPROVED CODE OF PRACTICE:** Classification and Labelling of Substances and Preparations Dangerous for Supply.  
**GUIDANCE NOTES:** Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

## **16. OTHER INFORMATION**

**USER NOTES:** The following risk phrases relate to the raw materials in the product and not the product itself:  
**R-PHRASES (Full Text):** R52/53 Harmful to aquatic organism, may cause long-term adverse effects in the aquatic environment.  
R36 Irritating to eyes.  
**DATE CREATED:** January 2009