

# SAFETY DATA SHEET



Trust Hygiene Services Limited

## 05130 – STAIN-X LAUNDRY POWDER

### 1. IDENTIFICATION OF THE PREPARATION AND COMPANY

**PRODUCT CODE:** 05130

**PRODUCT NAME:** STAIN-X LAUNDRY POWDER (LOW TEMPREATURE) 10 Kg

**DISTRIBUTOR:** Trust Hygiene Services Limited  
Sutherland Avenue  
Wolverhampton  
West Midlands  
WV2 2JH

Telephone: 0370 3500 988  
Fax: 01902 872289  
Email: sales@trusthygiene.co.uk

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

NAME	CAS No.:	CLASSIFICATION	CONTENT
ALCOHOL ETHOXYLATE	68131-39-5	Xn; R22 Xi; R41 N; R50	1-5 %
FATTY ALCOHOL ETHOXYLATE		Xi; R41	1-5 %
FLOURESCER	27344-41-8	Xi; R41	<1 %
SODIUM ALKYL BENZINE SULPHONATE	85117-50-6	Xn; R22 Xi; R38, R41	1-5 %
SODIUM CARBONATE	497-19-8	X1; R36	10-30 %
SODIUM PEROXY COMPOUND	15630-89-4	Xn; R22 Xi; R41 O; R8	5-10 %
SODIUM TRIPOLYPHOSPHATE	7758-29-4		30-60 %
TERPENE HYDROCARBON	8028-48-6	Xn; R65 Xi; R38, R10, R52/53	1-5 %
TRISODIUM NITRIL O TRIACETATE		Xn R22, 36/38	1-5 %

The full text for all R-Phrases are displayed in Section 16

### 3. HAZARDS IDENTIFICATION

Product is harmful if swallowed and is irritating to eyes and skin.

### 4. FIRST AID MEASURES

**INHALATION:** Move the exposed person to fresh air at once. Get medical attention. Provide rest, warmth and fresh air when breathing is difficult properly trained personnel may assist affected person by administering oxygen.

**INGESTION:** DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS.

**SKIN:** Take off immediately any contaminated clothing. After contact with skin, was immediately with plenty of soap and water. Seek medical attention if any discomfort continues.

**EYES:** In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and get medical attention if any discomfort continues.

### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6. ACCIDENTAL RELEASE MEASURES

**SPILL CLEAN UP METHODS:** Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

## **7. HANDLING AND STORAGE**

- USAGE PRECAUTIONS:** Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours, Use approved respirator if air contamination is above accepted level.
- STORAGE PRECAUTIONS:** Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

## **8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

### **PROTECTIVE EQUIPMENT:**



1. Wear suitable clothing, gloves and eye/face protection.
2. In case of insufficient ventilation, wear suitable respiratory equipment.

- Engineering Measures:** Provide adequate general and local exhaust ventilation.
- Respiratory Equipment:** No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended workplace exposure limit.
- Hand Protection:** Use protective gloves.
- Eye Protection:** Wear approved safety goggles.
- Other Protection:** Wear approved clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
- Hygiene Measures:** DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove and clothing that becomes contaminated. Wash promptly with soap & water if skin becomes irritated. Use appropriate skin cream to prevent drying of skin. When using: do not eat, drink or smoke.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

- APPEARANCE:** Free Flowing Powder
- COLOUR:** White with blue/green speckles
- ODOUR:** Pleasant, agreeable.
- SOLUBILITY:** Completely soluble in water

## **10. STABILITY AND REACTIVITY**

- Product is stable.
- Reacts with acid.
- Reacts with oxidizing substances.
- Fire creates oxygen.

## **11. TOXICOLOGY INFORMATION**

- INGESTION:** Product is harmful if swallowed
- SKIN CONTACT:** Irritation is likely.
- EYE CONTACT:** Irritation is likely.

## **12. ECOLOGICAL INFORMATION**

- ECOTOXICITY:** No negative effects in the aquatic environment are known.

## **13. DISPOSAL CONSIDERATIONS**

- DISPOSABLE METHODS:** Dispose of waste and residues in accordance with local authority requirements.

## **14. TRANSPORT INFORMATION**

- ROAD TRANSPORT NOTES:** Not Classified
- RAIL TRANSPORT NOTES:** Not Classified
- SEA TRANSPORT NOTES:** Not Classified
- AIR TRANSPORT NOTES:** Not Classified

## 15. REGULATORY INFORMATION

### LABEL FOR CONVEYANCE:



### RISK PHRASES:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

### SAFETY PHRASES:

S2 Keep out of the reach of children

R24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.

S60 This material and its container must be disposed of as hazardous waste.

### STATUTORY INSTRUMENTS:

Chemicals (Hazard Information and Packaging) Regulations.

### APPROVED CODE OF PRACTICE:

Classification and Labelling of Substances and Preparations Dangerous for Supply.

### GUIDANCE NOTES:

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation

HS(G)37. CHIP for everyone HSG(108).

## 16. OTHER INFORMATION

### USER NOTES:

The responsibility to ensure safe working conditions within the workplace remains with the user. The health hazard and general information contained within this Material Safety Data Sheet are given as a guide to the precautions required to maintain a safe work environment.

### R-PHRASES (Full Text):

R10 Flammable

R22 Harmful if swallowed

R36 Irritating to eyes

R36/38 Irritating to eyes and skin

R38 Irritating to skin

R41 Risk of serious damage to eyes

R50 Very toxic to aquatic organisms.

R52/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed

R8 Contact with combustible material may cause fire.

### DATE CREATED:

January 2009