

# SAFETY DATA SHEET



## 09032 – POT POURRI – AIR FRESHENER

Trust Hygiene Services Limited

### 1. IDENTIFICATION OF THE PREPARATION AND COMPANY

**PRODUCT CODE:** 09032  
**PRODUCT NAME:** POT POURRI – AIR FRESHENER TRIIGER SPRAY 6 x 750 ml  
**DISTRIBUTOR:** Trust Hygiene Services Limited Telephone: 0370 3500 988  
Sutherland Avenue Fax: 01902 872289  
Wolverhampton Email: sales@trusthygiene.co.uk  
West Midlands, WV2 2JH

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

NAME	%	EINECS NO.:	CAS NO.:	NATURE OF HAZARD
LONG CHAIN ETHOXYLATED ALCOHOL	<1-10%		61824-42-7	Xn; R22, Xi; R41
MIXTURE OF NATURAL AND SYTHETIC AROMATICS	1-10%			Sens.; R43 -; R52/53
PROPAN	1-10%	200-661-7	67-63-0	F; R11, Xi; R36, -; R67

### 3. HAZARDS IDENTIFICATION

**MAIN HAZARD:** May cause sensitisation by skin contact.

### 4. FIRST AID MEASURES

**INHALATION:** Exposure may cause coughing or wheezing. Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.  
**INGESTION:** There may be irritation soreness and redness of the mouth and throat. Wash out mouth with water. Consult a doctor.  
**SKIN:** There may be irritation and redness at the site of contact. Wash immediately with plenty of soap and water. If any irritation occurs, seek medical advice.  
**EYES:** There may be irritation and redness. The eyes may water profusely. Bathe the eye with running water for 15 minutes. Consult a doctor.

### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
**EXPOSURE HAZARDS:** In combustion emits toxic fumes.  
**PROTECTION OF FIRE-FIGHTERS:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS:** Do not attempt to take action without suitable protective clothing – see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.  
**SPILL CLEAN UP METHODS:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.  
**ENVIRONMENTAL PRECAUTIONS:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 7. HANDLING AND STORAGE

**USAGE PRECAUTIONS:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mist in the air.  
**STORAGE PRECAUTIONS:** Store in cool, well ventilated area. Keep container tightly closed.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**HAZARDOUS INGREDIENTS:** PROPAN-2-OL WEL (8 hr TWA): 999 mg/m<sup>3</sup> WEL (15 min STEL): 1250mg/m<sup>3</sup>  
**RESPIRATORY PROTECTION:** If extraction methods are insufficient to maintain concentrations of particulates and/or solvent vapours below relevant OEL's, suitable respiratory equipment should be worn.  
**ENGINEERING MEASURES:** Ensure that there is sufficient ventilation of the area.  
**HAND PROTECTION:** Impermeable gloves.  
**EYE PROTECTION:** Safety glasses. Ensure eye bath is to hand.  
**SKIN PROTECTION:** Impermeable Protective clothing.  
**PROTECTIVE EQUIPMENT:**



## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Liquid  
**COLOUR:** Colourless  
**ODOUR:** Characteristic odour  
**pH:** Neutral

## **10. STABILITY AND REACTIVITY**

**STABILITY:** Stable under normal conditions.  
**CONDITIONS TO AVOID:** Heat.  
**MATERIALS TO AVOID:** Strong oxidising agents. Strong acids.  
**HAZ. DECOMPOSITION PRODUCTS:** In combustion emits toxic fumes

## **11. TOXICOLOGY INFORMATION**

**HAZARDOUS INGREDIENTS:** LONG CHAIN ETHOXYLATED ALCOHOL  
ORL RAT LD50 500-2000 mg/kg

PROPAN-2-OL  
IVN RAT LD50 1088 mg/kg  
ORL MUS LD50 3600 mg/kg  
ORL RAT LD50 5045 mg/kg  
SCU MUS LDLO 6 mg/kg

**CHRONIC TOXICITY:** May cause sensitisation by skin contact.  
**ROUTES OF EXPOSURE:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

## **12. ECOLOGICAL INFORMATION**

**HAZARDOUS INGREDIENTS:** LONG CHAIN ETHOXYLATED ALCOHOL  
FISH 96H LC50 10-100 mg/l

**MOBILITY:** Readily absorbed into soil.  
**PERSISTENCE AND DEGRADABILITY:** Biodegradable.  
**BIOACCUMULATIVE POTENTIAL:** No bioaccumulation potential.  
**OTHER ADVERSE EFFECTS:** Negligible ecotoxicity.

## **13. DISPOSAL CONSIDERATIONS**

**DISPOSAL OPERATIONS:** Transfer to a suitable container and arrange for collection by specialised disposal company.  
**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## **14. TRANSPORT INFORMATION**

ADR / RID  
IMGD / IMO  
IATA / ICAO

## **15. REGULATORY INFORMATION**

**HAZARD SYMBOLS:** Irritant



**RISK PHRASES:** R43 May cause sensitisation by skin contact.  
**SAFETY PHRASES:** S24 Avoid contact with skin.  
S37 Wear suitable gloves.

**HAZARDOUS INGREDIENTS:** MIXTURE OF NATURAL AND SYTHETIC AROMATICS  
**NOTE:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

## **16. OTHER INFORMATION**

**LEGAL DISCLAIMER:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

**R-PHRASES (Full Text):** R22 Harmful if swallowed.  
R41 Risk of serious damage to eyes.  
R43 May cause sensitisation by skin contact.  
R52/53 Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.  
R11 Highly flammable.  
R36 Irritating to eyes.  
R67 Vapours may cause drowsiness and dizziness.

**DATE CREATED:** January 2009